

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address COMMISSIONER FOR PATENTS P O Box 1430 Alexandria, Virginia 22313-1450 www.wepto.gov

ELECTRONIC

09/22/2009

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/573,437	04/30/2007	Pentti Kanerva	VALA1.001APC	2011	
2005 F. CONTROL OF THE CONTROL OF TH			EXAM	EXAMINER	
			SAETHER,	SAETHER, FLEMMING	
			ART UNIT	PAPER NUMBER	
, , , ,			3677		
			NOTIFICATION DATE	DELIVERY MODE	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

jcartee@kmob.com eOAPilot@kmob.com

Application No. Applicant(s) 10/573,437 KANERVA ET AL. Office Action Summary Examiner Art Unit Flemming Saether 3677 -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --Period for Reply A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS. WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). Status 1) Responsive to communication(s) filed on 2a) This action is FINAL. 2b) This action is non-final. 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213. Disposition of Claims 4) Claim(s) 8-14 is/are pending in the application. 4a) Of the above claim(s) _____ is/are withdrawn from consideration. 5) Claim(s) _____ is/are allowed. 6) Claim(s) 8-14 is/are rejected. 7) Claim(s) _____ is/are objected to. 8) Claim(s) _____ are subject to restriction and/or election requirement. Application Papers 9) The specification is objected to by the Examiner. 10) The drawing(s) filed on is/are; a) accepted or b) objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abevance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152. Priority under 35 U.S.C. § 119 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

1) \(\subseteq \text{ Notice of References Cited (PTO-892)} \)
2) \(\subseteq \text{ Notice of Draftsperson's Patient Drawing Review (PTO-948)} \)
3) \(\subseteq \text{ Information. Piscle-sure Statement(s) (PTO/SECE)} \)
4) \(\subseteq \text{ Interview Summary (PTO-413)} \)
Paper Note (s) \(\text{ Notice of Informal Patient Application} \)
Paper Note (s) \(\text{ Notice of Informal Patient Application} \)
Paper Note (s) \(\text{ Notice of Informal Patient Application} \)
Paper Note (s) \(\text{ Notice of Informal Patient Application} \)

Application/Control Number: 10/573,437

Art Unit: 3677

Specification

The disclosure is objected to because of the following informalities: the specification lacks the heading to the various sections and the disclosure should not refer to the claims (top of page 3).

Appropriate correction is required.

Drawings

The drawings are objected to because the explosive charge (9) is not appropriately shaded (see MPEP 600). Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required

Application/Control Number: 10/573,437

Art Unit: 3677

corrective action in the next Office action. The objection to the drawings will not be held in abevance.

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claims 8-14 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. The claims are generally narrative leading to indefiniteness. There are numerous occurrences of lack of antecedent basis such as "the top and bottom of the cylinder" (claim 8, line 14), "the wall" (line 15), "the height" (line 16), "its biggest diameter" (line 16), "the longitudinal mean axis" (line 19), "the cylinder-through the cover" (line 19), etc.... It is unclear what is intended to be inclusive of the piston because its initially defined as having and outer diameter the same as the cylinder (claim 8, line 12) then its defined as having a "biggest diameter" (line 16-18) meaning it has another diameter which contradicts it being the same diameter as the cylinder then its further defined as having a rod (line 18) with a smaller diameter than the cylinder which again contradict the initial definition then further in claims 11 and 14 the washer which is on the rod is clamped by "means of the piston" and again the piston has a smaller diameter (claim 11, line 8-9) which again contradicts the original definition. In claim 1, lines 19-20, it is unclear what is intended by the "pulls off the attachment screw" it appears it should be --pulls off the head of the attachment

Art Unit: 3677

screw--. In general, all the claims should be reviewed and revised accordingly to ensure they are clear and definite to comply with current US standards. The applicant is invited to call the undersigned examiner if there are any questions. The claims were examined as best understood

Allowable Subject Matter

Claims 8-14 appear would be allowable if rewritten or amended to overcome the rejection(s) under 35 U.S.C. 112, 2nd paragraph, set forth in this Office action. The prior art does not disclose an explosive attachment device comprising an attachment screw and an explosive element for connecting components; the explosive attachment element including a cylinder with a cover where the cover engages one of the components and a piston mounted in the in the cylinder with a rod extending from the piston through the cover to engage with the screw threads and an explosive charge located in the cylinder between the piston and the cover which when exploded provides a pulling stress to the screw which pulls off the head of the screw to allow the components to separate; in combination with the other elements of the claim.

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Application/Control Number: 10/573,437

Art Unit: 3677

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Flemming Saether whose telephone number is 571-272-7071. The examiner can normally be reached on Monday through Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Victor Batson can be reached on 571-272-6987. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Flemming Saether Primary Examiner Art Unit 3677

/Flemming Saether/ Primary Examiner, Art Unit 3677